

NANO
P L U S

AUTOMOTIVE **Window film**

Top Nano Ceramic

nano technology is an application of transparent nano sized particles applied to the pet and laminated into the finished product provides enhanced performance excellent color stability and clarity .

75 | 35 | 15



Book now



AUTOMOTIVE Window film

Top Nano Ceramic

CH 75

Vlt-Visible Light Transmittance	75 %
UVR-UV rejected	99 %
IRR rejected	98 %
TSER - Total Solar Energy Rejected	69 %
Thickness	2 mil

[Book now](#)

Top Nano Ceramic

CH 35

Vlt-Visible Light Transmittance	35 %
UVR-UV rejected	99 %
IRR rejected	99 %
TSER - Total Solar Energy Rejected	72 %
Thickness	2 mil

[Book now](#)

Top Nano Ceramic

CH 15

Vlt-Visible Light Transmittance	15 %
UVR-UV rejected	99 %
IRR rejected	99 %
TSER - Total Solar Energy Rejected	76 %
Thickness	2 mil

[Book now](#)

NANO
P L U S

AUTOMOTIVE **Window film**

Top Nano Ceramic

The Result Clear To See

The Highest Quality Window And Paint Protection Films .

Infrared heat absorption

solar heat rejection

no signal blocking



Book now

www.nanoplus-usa.com